



**THERMAL LABEL LIST AND CROSS REFERENCE**

LABEL WIDTH	BRADY #	EPC #	TYCO #	STRANCO DIE #	LABELS PER ROW	LABEL WIDTH (inches)	LABEL HEIGHT (inches)	HORIZ. REPEAT (inches)	VERT. REPEAT (inches)	WEB WIDTH (inches)	LEFT MARGIN (inches)	
0.157"		136	40040		20	0.157	0.157	0.157	0.281	3.380		
0.1969"				TL309	10	0.1969	0.1181	0.1181	0.375	1.431	0.125	
.25"	THT-70				7	0.250	0.250	0.320	0.350	2.370		
	THT-11			TL19	12	0.250	0.250	0.250	0.375	3.200	0.100	
		108	64064	TL19E	12	0.250	0.250	0.250	0.375	3.240	0.118	
0.3				TL346	7	0.300	0.230	0.400	0.375	2.900	0.100	
.315"	THT-71				6	0.315	0.315	0.375	0.415	2.390	0.118	
		138	80080	TL92	8	0.315	0.315	0.390	0.525	3.280	0.120	
0.34				TL270	7	0.340	0.190	0.440	0.3125	3.180	0.100	
.375"	THT-38				7	0.375	0.375	0.437	0.475	3.200		
		116	95095	TL46	7	0.375	0.375	0.437	0.500	3.230	0.118	
.380"				TL209	1	0.380	0.380	-	0.500	1.000	0.310	
				TL88	1	0.380	0.380	-	0.510	1.000	0.310	
.40"				TL231	2	0.400	4.250	0.600	4.375	1.200	0.100	
.4375"				TL294	4	0.4375	0.1875	0.5375	0.3125	2.250	0.100	
.45"		137	114040		6	0.450	0.157	0.450	0.281	2.940		
.50"	THT-97			TL44-1	1	0.500	0.200	-	0.300	0.700	0.100	
	THT-36			TL44	5	0.500	0.200	0.625	0.300	3.200	0.100	
	THT-98				1	0.500	0.275	-	0.375	0.700		
	THT-96				4	0.500	0.275	0.600	0.375	2.500		
	THT12			TL20	5	0.500	0.437	0.662	0.537	3.350	0.100	
		122	127111			5	0.500	0.437	0.662	0.563	3.380	
				TL226 (Circle)	5	0.500	0.500	0.750	0.500	3.750	0.125	
	THT-99				1	0.500	0.500	-	0.600	0.700		
.65"				TL233	4	0.650	0.150	0.750	0.275	3.100	0.100	
	THT-47				1	0.650	0.200	-	0.300	0.850		
	THT-14			TL218	4	0.650	0.200	0.700	0.300	2.950	0.100	
		134	165051	TL218E	4	0.650	0.200	0.700	0.325	3.000	0.125	
				TL98	5	0.650	0.200	0.700	0.325	3.700	0.125	
		109		TL22	5	0.650	0.200	0.800	0.325	4.080	0.118	
				TL06-Special	3	0.650	0.400	0.750	0.545	2.350	0.100	
	913	165102	TL06	5	0.650	0.400	0.750	0.545	3.900	0.125		
.68"				TL293	4	0.688	0.188	0.7875	0.3125	3.250	0.100	



**THERMAL LABEL LIST AND CROSS REFERENCE**

LABEL WIDTH	BRADY #	EPC #	TYCO #	STRANCO DIE #	LABELS PER ROW	LABEL WIDTH (inches)	LABEL HEIGHT (inches)	HORIZ. REPEAT (inches)	VERT. REPEAT (inches)	WEB WIDTH (inches)	LEFT MARGIN (inches)
.70"				TL292	2	0.700	0.350	0.800	0.500	1.700	0.100
	THT-100				1	0.700	0.375	-	0.475	0.900	
		139	178095		4	0.700	0.375	0.750	0.500	3.190	
	THT-57				4	0.700	0.375	0.800	0.475	3.350	
					TL255	1	0.700	4.000	-	4.125	0.900
.7087"				TL327	1	0.7087	0.4724	-	-	0.9587	0.125
.75"				TL212	4	0.750	0.220	0.850	0.350	4.000	0.350
				TL212B	2	0.750	0.220	0.850	0.350	2.000	0.350
	THT-46				1	0.750	0.250	-	0.350	0.950	
	THT-1			TL01	4	0.750	0.250	0.800	0.350	3.350	0.100
		105	191064	TL09	4	0.750	0.250	0.850	0.375	3.540	0.118
	THT-50				4	0.750	0.750	0.800	0.875	3.350	
.80"		130	203127	TL96	4	0.800	0.500	0.900	0.625	3.730	0.118
.90"	THT-49			TL57	1	0.900	0.250	-	0.350	1.100	0.100
	THT-2			TL10	3	0.900	0.250	1.125	0.350	3.400	0.118
		129	229064		3	0.900	0.250	1.125	0.375	3.390	
				TL16	3	0.900	0.400	1.000	0.525	3.150	0.125
				TL223	1	0.900	4.500	-	4.625	1.100	0.100



**THERMAL LABEL LIST AND CROSS REFERENCE**

LABEL WIDTH	BRADY #	EPC #	TYCO #	STRANCO DIE #	LABELS PER ROW	LABEL WIDTH (inches)	LABEL HEIGHT (inches)	HORIZ. REPEAT (inches)	VERT. REPEAT (inches)	WEB WIDTH (inches)	LEFT MARGIN (inches)	
1.00"	THT-42				1	1.000	0.187	-	0.287	1.200		
	THT-41				3	1.000	0.187	1.075	0.287	3.350		
	THT-51				3	1.000	0.250	1.075	0.375	3.350		
					TL208	1	1.000	0.250	-	0.375	1.200	0.100
					TL208B	2	1.000	0.250	1.125	0.375	2.325	0.100
					TL208C	3	1.000	0.250	1.125	0.375	3.450	0.100
	THT-58					1	1.000	0.375	-	0.475	1.200	
	THT-3					3	1.000	0.375	1.075	0.475	3.350	
		110		254097	TL11	3	1.000	0.380	1.100	0.500	3.440	0.118
					TL228	2	1.000	0.380	1.100	0.500	2.300	0.100
	THT-30					3	1.000	0.393	1.075	0.475	3.350	
	THT-59					1	1.000	0.500	-	0.600	1.200	
					TL67	1	1.000	0.500	-	0.670	1.200	0.100
	THT-5				TL221	3	1.000	0.500	1.075	0.60	3.350	0.100
	THT-39					3	1.000	0.500	1.075	0.625	3.350	
		107		254127	TL13	3	1.000	0.500	1.100	0.670	3.440	0.118
					TL368	3	1.000	0.700	1.125	0.828	3.500	0.125
					TL206	3	1.000	0.750	1.100	0.890	3.450	0.125
		115		254254	TL91	3	1.000	1.000	1.100	1.125	3.440	0.118
					TL241 (Circle)	4	1.000	1.000	1.125	1.125	1.125	0.0625
				TL349	1	1.000	1.250	-	1.375	1.250	0.1250	
				TL360	1	1.000	3.000	-	3.125	1.250	0.1250	
				TL267	2	1.000	6.000	1.250	6.125	2.500	0.125	
1.10"	THT-31				2	1.100	0.380	1.200	0.500	2.500		
1.25"	THT-43				1	1.250	0.250	-	0.350	1.450		
		111		318064	TL51	1	1.250	0.250	-	0.375	1.490	0.118
	THT-13				2	1.250	0.250	1.300	0.375	2.750		
					TL21	2	1.250	0.250	1.500	0.375	3.000	0.125
	THT-29				2	1.250	0.375	1.300	0.475	2.750		
					TL219	1	1.250	0.375	-	0.500	1.350	0.050
					TL37	2	1.250	0.375	1.300	0.500	2.800	0.125
					TL321	1	1.250	0.500	-	0.625	1.500	0.125
					TL217	1	1.250	0.750	-	0.875	1.500	0.125
				TL322	1	1.250	0.875	-	1.000	1.500	0.125	
1.34"				TL359	1	1.340	0.750	-	1.000	1.625	0.125	



**THERMAL LABEL LIST AND CROSS REFERENCE**

LABEL WIDTH	BRADY #	EPC #	TYCO #	STRANCO DIE #	LABELS PER ROW	LABEL WIDTH (inches)	LABEL HEIGHT (inches)	HORIZ. REPEAT (inches)	VERT. REPEAT (inches)	WEB WIDTH (inches)	LEFT MARGIN (inches)	
1.375"	THT-44				1	1.375	0.250	-	0.350	1.600		
	THT-40				2	1.375	0.250	1.475	0.375	3.050		
				TL210	1	1.375	0.270	-	0.400	1.625	0.125	
1.50"		132	381020		1	1.500	0.080	-	0.423	1.740		
	THT-60			TL277	1	1.500	0.125	-	0.225	1.700	0.100	
					1	1.500	0.250	-	0.250	1.750	0.125	
	THT-28				2	1.500	0.125	1.650	0.250	3.350		
	THT-45				1	1.500	0.250	-	0.350	1.700		
				TL53	1	1.500	0.250	-	0.375	1.750	0.125	
		101	381064		1	1.500	0.250	-	0.380	1.740		
	THT-4				2	1.500	0.250	1.650	0.350	3.350		
				TL12	2	1.500	0.250	1.750	0.375	3.500	0.125	
	THT-102			TL271	1	1.500	0.370	-	0.500	1.750	0.125	
				TL271B	2	1.500	0.370	1.750	0.500	3.500	0.125	
	THT-37			TL45	2	1.500	0.500	1.650	0.600	3.350	0.100	
	THT-6			TL14	2	1.500	0.750	1.650	0.875	3.350	0.100	
	102	381191		TL89	2	1.500	0.750	1.700	0.880	3.450	0.125	
				TL237	1	1.500	1.000	-	1.125	1.750	0.125	
1.60"				TL04	1	1.600	6.000	-	6.125	1.850	0.125	
1.65"				TL298	1	1.650	0.710	-	0.875	1.900	0.125	
1.75"	THT-72				1	1.750	0.250	-	0.350	1.950		
				TL100	1	1.750	0.250	-	0.375	2.000	0.125	
				TL290	1	1.750	0.500	-	0.625	2.000	0.125	
		926	445445		TL99	1	1.750	1.750	-	1.875	1.986	0.125
					TL260	1	1.750	3.500	-	3.625	2.000	0.125
					TL03	1	1.750	2.500	-	2.650	2.000	0.125
1.875"				TL101	1	1.850	0.720	-	0.875	2.050	0.100	
1.88"				TL230	1	1.880	0.880	-	1.000	2.130	0.125	
				TL215	1	1.880	5.500	-	5.630	2.125	0.125	
1.90"				TL313	1	1.900	1.400	-	1.500	2.100	0.100	
				TL308	2	1.900	7.000	2.000	7.125	4.100	0.100	



THERMAL LABEL LIST AND CROSS REFERENCE

LABEL WIDTH	BRADY #	EPC #	TYCO #	STRANCO DIE #	LABELS PER ROW	LABEL WIDTH (inches)	LABEL HEIGHT (inches)	HORIZ. REPEAT (inches)	VERT. REPEAT (inches)	WEB WIDTH (inches)	LEFT MARGIN (inches)
2.00"	THT-15				1	2.000	0.250	-	0.350	2.200	
	THT-48				1	2.000	0.250	-	0.350	2.200	
		112	508064	TL23	1	2.000	0.250	-	0.375	2.240	0.118
				TL204	1	2.000	0.315	-	0.500	2.250	0.125
		911	508095	TL213	1	2.000	0.375	-	0.500	2.250	0.125
	THT-79				1	2.000	0.400	-	0.500	2.200	
	THT-53				1	2.000	0.500	-	0.600	2.200	
		114	508127	TL61	1	2.000	0.500	-	0.625	2.240	0.118
	THT-17			TL25B	1	2.000	1.000	-	1.125	2.125	0.080
		123	508254	TL25	1	2.000	1.000	-	1.125	2.200	0.100
		117	508318	TL203	1	2.000	1.250	-	1.375	2.240	0.118
		124	508508	TL17	1	2.000	2.000	-	2.125	2.130	0.062
				TL242 (Circle)	3	2.000	2.000	2.125	2.125	2.125	0.0625
				TL211	1	2.000	3.980	-	4.100	2.250	0.125
	THT-82			1	2.000	6.000	-	6.187	2.200		
			TL268	2	2.000	6.000	2.250	6.125	4.500	0.125	
	THT-83			1	2.000	7.000	-	7.187	2.200		
2.06"		121	523841		1	2.060	3.310	-	3.500	2.290	
2.25"				TL278	1	2.250	7.000	-	7.125	2.500	0.125
2.50"				TL201	1	2.500	1.060	-	1.200	2.750	0.125
				TL232	1	2.500	1.500	-	1.625	2.750	0.125
				TL366	1	2.500	5.000	-	5.125	2.750	0.125
2.60"				TL202	1	2.600	1.000	-	1.125	2.850	0.125
2.6875"				TL262 (Perf)	1	2.688	1.500	-	1.625	2.938	0.125
2.75"		103	699254	TL90	1	2.750	1.000	-	1.125	3.000	0.125
	THT-7				1	2.750	1.250	-	1.375	2.950	



**THERMAL LABEL LIST AND CROSS REFERENCE**

LABEL WIDTH	BRADY #	EPC #	TYCO #	STRANCO DIE #	LABELS PER ROW	LABEL WIDTH (inches)	LABEL HEIGHT (inches)	HORIZ. REPEAT (inches)	VERT. REPEAT (inches)	WEB WIDTH (inches)	LEFT MARGIN (inches)
3.00"	THT-16			TL24	1	3.000	0.250	-	0.375	3.200	0.100
				TL214	1	3.000	0.900	-	1.000	3.250	0.125
	THT-18			TL236	1	3.000	1.000	-	1.125	3.200	0.100
				TL222	1	3.000	1.500	-	1.625	3.250	0.125
				TL30	1	3.000	1.500	-	1.613	3.250	0.125
		118	762381	TL02	1	3.000	1.500	-	1.625	3.240	0.118
	THT-19			TL27	1	3.000	2.000	-	2.125	3.200	0.100
		104	762508	TL27E	1	3.000	2.000	-	2.125	3.240	0.125
	THT-20			TL28	1	3.000	5.000	-	5.125	3.200	0.100
		128	762127		1	3.000	5.000	-	5.100	3.130	
				TL367	1	3.000	6.000	-	6.125	3.250	0.125
				TL05	1	3.000	7.000	-	7.250	3.250	0.125
			TL331	1	3.000	10.000	-	10.125	3.250	0.125	
	THT-21			1	3.000	Continuous	-	100 LYD	3.200		
3.465"				TL304	1	3.465	2.465	-	2.625	3.720	0.125
3.50"				TL272	1	3.500	2.000	-	2.125	3.750	0.125
				TL319	1	3.500	2.470	-	2.625	3.750	0.125
				TL207	1	3.500	9.000	-	9.125	3.700	0.100
				TL243	1	3.500	14.000	-	14.125	3.700	0.100
3.65"				TL224	1	3.650	0.400	-	0.525	3.850	0.100
3.94"				TL235	1	3.940	7.870	-	8.000	4.060	0.060



**THERMAL LABEL LIST AND CROSS REFERENCE**

LABEL WIDTH	BRADY #	EPC #	TYCO #	STRANCO DIE #	LABELS PER ROW	LABEL WIDTH (inches)	LABEL HEIGHT (inches)	HORIZ. REPEAT (inches)	VERT. REPEAT (inches)	WEB WIDTH (inches)	LEFT MARGIN (inches)
4.00"				TL291	1	4.000	0.670	-	0.8125	4.200	0.100
				TL216	1	4.000	0.750	-	0.860	4.250	0.125
				TL320	1	4.000	1.000	-	1.125	4.100	0.100
				TL227	1	4.000	1.125	-	1.250	4.240	0.125
				TL205	1	4.000	1.250	-	1.375	4.250	0.125
				TL266	1	4.000	1.500	-	1.625	4.200	0.100
				TL295	1	4.000	1.725	-	1.875	4.200	0.100
	THT-55			TL63	1	4.000	2.000	-	2.125	4.200	0.100
		125	101508		1	4.000	2.000	-	2.150	4.100	
		119	101635	TL97	1	4.000	2.500	-	2.625	4.240	0.118
	THT-76			TL265	1	4.000	3.000	-	3.125	4.200	0.100
		126	101762		1	4.000	3.000	-	3.125	4.100	
	THT-77				1	4.000	4.000	-	4.125	4.125	
		127	101101	TL383	1	4.000	4.000	-	4.125	4.100	0.100
				TL300	1	4.000	5.000	-	5.125	4.200	0.100
	THT-25			TL229	1	4.000	6.000	-	6.125	4.200	0.100
	THT-78			TL94	1	4.000	6.500	-	6.625	4.125	0.060
	106	101165		1	4.000	6.500	-	6.680	4.130		
			TL302	1	4.000	8.000	-	8.125	4.200	0.100	
			TL244	1	4.000	14.000	-	14.125	4.200	0.100	
5.00"				TL263	1	5.000	8.000	-	8.250	5.200	0.100

**Stranco Thermal Label Part Number Construction: "label die number" - "material code" - "quantity per roll"**

**Example: TL13-451-10 (TL13 = label die number, 451 = material code, 10 = 10,000 labels per roll)**