



Michigan City, IN www.strancoinc.com

THERMAL TRANSFER LABEL DIE LIST

LABEL WIDTH	STRANCO DIE #	LABELS PER ROW	LABEL WIDTH (inches)	LABEL HEIGHT (inches)	HORIZ. REPEAT (inches)	VERT. REPEAT (inches)	WEB WIDTH (inches)	LEFT MARGIN (inches)
0.1181"	TL309	10	0.1181	0.1969	0.1181	0.375	1.431	0.125
0.25"	TL19	12	0.250	0.250	0.250	0.375	3.200	0.100
	TL19E	12	0.250	0.250	0.250	0.375	3.240	0.118
	TL537	6	0.250	0.250	0.375	0.417	2.390	0.100
0.30"	TL346	7	0.300	0.230	0.400	0.375	2.900	0.100
0.315"	TLS310	5	0.315	0.315	0.500	0.500	2.515	0.100
	TL310	5	0.315	0.315	0.500	0.500	2.515	0.100
	TL92	8	0.315	0.315	0.390	0.525	3.285	0.120
0.34"	TL270	7	0.340	0.190	0.440	0.3125	3.180	0.100
0.354"	TL415	7	0.354	0.354	0.454	0.4740	3.320	0.120
0.375"	TL46	7	0.375	0.375	0.437	0.500	3.230	0.118
0.380"	TL209	1	0.380	0.380	-	0.500	1.000	0.310
	TL88	1	0.380	0.380	-	0.510	1.000	0.310
0.3937"	TL522	1	0.3937	0.3937	-	0.500	0.894	0.250
0.394"	TL421	5	0.394	0.315	0.494	0.450	2.569	0.100
	TL443	3	0.394	0.394	0.494	0.500	1.580	0.100
0.40"	TL231	2	0.400	4.250	0.600	4.375	1.200	0.100
0.433"	TL420	5	0.433	0.433	0.533	0.563	2.766	0.100
0.437"	TL406	2	0.437	1.75	0.687	1.875	1.374	0.125
0.4375"	TL294	4	0.4375	0.1875	0.5375	0.3125	2.250	0.100
0.45"	TL328	6	0.450	0.157	0.450	0.283	2.950	0.125
0.50"	TL44	5	0.500	0.200	0.625	0.300	3.200	0.100
	TL555	5	0.500	0.250	0.600	0.500	3.100	0.100
	TL645	1	0.500	0.393	-	0.500	0.750	0.100
	TL20	5	0.500	0.437	0.662	0.537	3.350	0.100
	TL397	2	0.500	5.500	0.625	5.625	1.375	0.125
0.65"	TL233	4	0.650	0.150	0.750	0.275	3.100	0.100
	TL296	1	0.650	0.200	-	0.300	1.150	0.250
	TL218	4	0.650	0.200	0.700	0.300	2.950	0.100
	TL218E	4	0.650	0.200	0.700	0.300	3.000	0.125
	TL98	5	0.650	0.200	0.700	0.325	3.700	0.125
	TL22	5	0.650	0.200	0.800	0.325	4.080	0.118
	TL06C	3	0.650	0.400	0.750	0.545	2.350	0.100
	TL06	5	0.650	0.400	0.750	0.545	3.900	0.125
0.68"	TL293	4	0.688	0.188	0.7875	0.3125	3.250	0.100
0.70"	TL292	2	0.700	0.350	0.800	0.500	1.700	0.100
	TL337	4	0.700	0.375	0.750	0.500	3.200	0.125
	TL255	1	0.700	4.000	-	4.125	0.900	0.100
0.75"	TL212	4	0.750	0.220	0.850	0.350	4.000	0.350
	TL212B	2	0.750	0.220	0.850	0.350	2.000	0.200
	TL458	1	0.750	0.250	-	0.375	1.000	0.125
	TL458B	2	0.750	0.250	1.000	0.375	2.000	0.125
	TL01	4	0.750	0.250	0.800	0.350	3.350	0.100
	TL09	4	0.750	0.250	0.850	0.375	3.540	0.118
	TL09C	3	0.750	0.250	0.850	0.375	2.650	0.100
	TL401	2	0.750	0.750	0.875	0.900	1.875	0.125
	TL568	4	0.750	0.750	0.850	0.900	3.500	0.100
	TL585	3	0.750	1.000	0.875	1.125	2.625	0.0625



Michigan City, IN www.strancoinc.com

THERMAL TRANSFER LABEL DIE LIST

LABEL WIDTH	STRANCO DIE #	LABELS PER ROW	LABEL WIDTH (inches)	LABEL HEIGHT (inches)	HORIZ. REPEAT (inches)	VERT. REPEAT (inches)	WEB WIDTH (inches)	LEFT MARGIN (inches)
0.80"	TL96	4	0.800	0.500	0.900	0.625	3.730	0.118
0.827"	TL571	1	0.827	0.197	-	0.333	1.100	0.137
0.875"	TL548	3	0.875	0.750	1.000	0.900	3.075	0.100
0.90"	TL57	1	0.900	0.250	-	0.375	1.100	0.100
	TL10	3	0.900	0.250	1.125	0.375	3.400	0.125
	TL16	3	0.900	0.400	1.000	0.525	3.150	0.125
	TL223	1	0.900	4.500	-	4.625	1.100	0.100
1.00"	TL507	2	1.000	0.180	1.200	0.281	2.400	0.100
	TL208	1	1.000	0.250	-	0.375	1.200	0.100
	TL208B	2	1.000	0.250	1.125	0.375	2.325	0.100
	TL208C	3	1.000	0.250	1.125	0.375	3.450	0.100
	TLS459	1	1.000	0.250	-	0.375	1.200	0.100
	TL11	3	1.000	0.380	1.100	0.500	3.440	0.118
	TL11B	2	1.000	0.380	1.100	0.500	2.260	0.080
	TL11A	1	1.000	0.380	-	0.500	1.160	0.080
	TL67	1	1.000	0.500	-	0.634	1.200	0.100
	TL221	3	1.000	0.500	1.075	0.600	3.350	0.100
	TL13	3	1.000	0.500	1.100	0.666	3.440	0.118
	TL368	3	1.000	0.700	1.125	0.875	3.500	0.125
	TL206	3	1.000	0.750	1.100	0.890	3.450	0.125
	TL91	3	1.000	1.000	1.100	1.125	3.440	0.118
	TL627	1	1.000	1.000	-	1.125	1.188	0.094
	TL349	1	1.000	1.250	-	1.375	1.250	0.1250
TL360	1	1.000	3.000	-	3.125	1.250	0.1250	
TL267	2	1.000	6.000	1.250	6.125	2.500	0.125	
1.213"	TL465	1	1.213	0.457	-	0.600	1.463	0.125
1.25"	TL21	2	1.250	0.250	1.500	0.375	3.000	0.125
	TL51	1	1.250	0.250	-	0.375	1.500	0.125
	TL37	2	1.250	0.375	1.300	0.500	2.800	0.125
	TL219	1	1.250	0.375	-	0.500	1.350	0.050
	TL321	1	1.250	0.500	-	0.625	1.500	0.125
	TL217	1	1.250	0.750	-	0.875	1.500	0.125
	TL322	1	1.250	0.875	-	1.000	1.500	0.125
	TL426	1	1.250	1.000	-	1.125	1.500	0.125
1.34"	TL359	1	1.340	0.750	-	1.000	1.625	0.125
1.375"	TL210	1	1.375	0.270	-	0.400	1.625	0.125
	TL399	3	1.375	0.750	1.625	1.000	4.875	0.125
1.38"	TL463	1	1.380	0.430	-	0.563	1.580	0.100
1.44"	TL601	2	1.440	0.820	1.690	0.945	3.380	0.125
1.46"	TL390	1	1.460	1.460	-	1.625	1.750	0.125
1.50"	TL277	1	1.500	0.125	-	0.250	1.750	0.125
	TL53	1	1.500	0.250	-	0.375	1.750	0.125
	TL12	2	1.500	0.250	1.750	0.375	3.500	0.125
	TL271	1	1.500	0.370	-	0.500	1.750	0.125
	TL271B	2	1.500	0.370	1.750	0.500	3.500	0.125
	TL542	1	1.500	0.394	-	0.500	1.750	0.125



Michigan City, IN www.strancoinc.com

THERMAL TRANSFER LABEL DIE LIST

LABEL WIDTH	STRANCO DIE #	LABELS PER ROW	LABEL WIDTH (inches)	LABEL HEIGHT (inches)	HORIZ. REPEAT (inches)	VERT. REPEAT (inches)	WEB WIDTH (inches)	LEFT MARGIN (inches)
1.50"	TL45	2	1.500	0.500	1.650	0.600	3.350	0.100
	TL45A	1	1.500	0.500	-	0.600	1.700	0.100
	TL598	2	1.500	0.625	1.750	0.813	3.450	0.100
	TL14	2	1.500	0.750	1.650	0.875	3.350	0.100
	TL89	2	1.500	0.750	1.700	0.880	3.450	0.125
	TL474	1	1.500	1.000	-	1.125	1.750	0.125
	TL237	1	1.500	1.000	-	1.125	1.750	0.125
	TL641	1	1.500	2.000	-	2.250	1.700	0.100
1.574"	TL344	1	1.574	0.3937	-	0.50	1.824	0.125
1.60"	TL04	1	1.600	6.000	-	6.125	1.850	0.125
1.65"	TL298	1	1.650	0.710	-	0.875	1.900	0.125
1.70"	TL423	2	1.700	2.200	1.825	2.333	3.775	0.125
1.75"	TL100	1	1.750	0.250	-	0.375	2.000	0.125
	TL290	1	1.750	0.500	-	0.625	2.000	0.125
	TL343	1	1.750	0.750	-	0.875	2.000	0.125
	TL99	1	1.750	1.750	-	1.875	2.000	0.125
	TL307	1	1.750	2.250	-	2.375	2.000	0.125
	TL03	1	1.750	2.500	-	2.650	2.000	0.125
	TL260	1	1.750	3.500	-	3.625	2.000	0.125
1.80"	TL371	1	1.800	0.750	-	1.000	2.000	0.100
1.84"	TL386	1	1.840	0.690	-	0.875	2.090	0.125
1.875"	TL101	1	1.850	0.720	-	0.875	2.050	0.100
1.88"	TL230	1	1.880	0.880	-	1.000	2.130	0.125
	TL215	1	1.880	5.500	-	5.630	2.125	0.125
1.90"	TL313	1	1.900	1.400	-	1.500	2.100	0.100
	TL308	2	1.900	7.000	2.000	7.125	4.100	0.100
1.95"	TL506	1	1.950	0.650	-	0.750	2.150	0.100
1.97"	TL543	1	1.970	0.790	2.070	0.900	2.230	0.125
2.00"	TL23	1	2.000	0.250	-	0.375	2.240	0.118
	TL204	1	2.000	0.315	-	0.500	2.250	0.125
	TL213	1	2.000	0.380	-	0.500	2.250	0.125
	TL61	1	2.000	0.500	-	0.625	2.240	0.118
	TL395	1	2.000	0.875	-	1.000	2.250	0.125
	TL25	1	2.000	1.000	-	1.125	2.200	0.100
	TL25B	2	2.000	1.000	2.200	1.125	4.400	0.100
	TL203	1	2.000	1.250	-	1.375	2.240	0.118
	TL17	1	2.000	2.000	-	2.125	2.130	0.062
	TL211	1	2.000	3.980	-	4.100	2.250	0.125
	TL268	2	2.000	6.000	2.250	6.125	4.500	0.125
2.205"	TL602	1	2.205	1.063	-	1.125	2.455	0.125
2.25"	TL484	1	2.250	1.250	-	1.500	2.500	0.125
	TL306	1	2.250	5.000	-	5.125	2.500	0.125
	TL278	1	2.250	7.000	-	7.125	2.500	0.125



Michigan City, IN www.strancoinc.com

THERMAL TRANSFER LABEL DIE LIST

LABEL WIDTH	STRANCO DIE #	LABELS PER ROW	LABEL WIDTH (inches)	LABEL HEIGHT (inches)	HORIZ. REPEAT (inches)	VERT. REPEAT (inches)	WEB WIDTH (inches)	LEFT MARGIN (inches)
2.50"	TL444	1	2.500	0.750	-	0.900	2.700	0.100
	TL201	1	2.500	1.060	-	1.200	2.750	0.125
	TL232	1	2.500	1.500	-	1.625	2.750	0.125
	10-1000	1	2.500	2.500	-	2.625	2.750	0.125
	TL366	1	2.500	5.000	-	5.125	2.750	0.125
2.547"	TL295	1	2.547	2.220	-	2.375	2.750	0.100
	TL469	1	2.547	2.220	-	2.375	2.750	0.100
2.60"	TL202	1	2.600	1.000	-	1.125	2.850	0.125
2.6875"	TL262	1	2.688	1.500	-	1.625	2.938	0.125
2.74"	TL468	1	2.740	1.240	-	1.500	3.000	0.130
2.75"	TL478	1	2.750	0.625	-	0.750	3.000	0.125
	TL90	1	2.750	1.000	-	1.125	3.000	0.125
	TL467	1	2.750	2.500	-	3.000	3.000	0.125
	TL301	1	2.750	2.750	-	3.000	3.000	0.125
	TL305	1	2.750	8.500	-	8.625	3.000	0.125
2.875"	TL402	1	2.875	4.875	-	5.000	3.125	0.125
2.933"	TL256	1	2.933	2.6377	-	2.750	3.183	0.125
3.00"	TL24	1	3.000	0.250	-	0.375	3.200	0.100
	TL369	1	3.000	0.500	-	0.625	3.250	0.125
	TL214	1	3.000	0.900	-	1.000	3.250	0.125
	TL236	1	3.000	1.000	-	1.125	3.200	0.100
	TL222	1	3.000	1.500	-	1.625	3.250	0.125
	TL30	1	3.000	1.500	-	1.613	3.250	0.125
	TL02	1	3.000	1.500	-	1.625	3.240	0.118
	TL27	1	3.000	2.000	-	2.125	3.200	0.100
	TL27E	1	3.000	2.000	-	2.125	3.250	0.125
	10-1001	1	3.000	2.000	-	2.125	3.250	0.125
	TL582	1	3.000	4.250	-	4.375	3.125	0.063
	TL28	1	3.000	5.000	-	5.125	3.200	0.100
	TL367	1	3.000	6.000	-	6.125	3.250	0.125
	TL05	1	3.000	7.000	-	7.125	3.250	0.125
TL331	1	3.000	10.000	-	10.125	3.250	0.125	
3.25"	TL413	1	3.250	4.000	-	4.500	3.500	0.125
3.465"	TL304	1	3.465	2.465	-	2.625	3.720	0.125
3.50"	TL588	1	3.500	0.500	-	0.625	3.750	0.125
	TL583	1	3.500	0.875	-	1.000	3.750	0.125
	TL534	1	3.500	1.250	-	1.375	4.000	0.250
	TL272	1	3.500	2.000	-	2.125	3.750	0.125
	TL319	1	3.500	2.470	-	2.625	3.750	0.125
	10-1002	1	3.500	5.000	-	5.125	5.250	0.125
	TL207	1	3.500	9.000	-	9.125	3.700	0.100
	TL243	1	3.500	14.000	-	14.125	3.700	0.100
3.65"	TL224	1	3.650	0.400	-	0.525	3.850	0.100
3.75"	TL551	1	3.750	0.620	-	0.750	3.950	0.100
3.937"	TL501	1	3.937	1.969	-	2.125	4.137	0.100
3.94"	TL235	1	3.940	7.870	-	8.000	4.060	0.060



Michigan City, IN www.strancoinc.com

THERMAL TRANSFER LABEL DIE LIST

LABEL WIDTH	STRANCO DIE #	LABELS PER ROW	LABEL WIDTH (inches)	LABEL HEIGHT (inches)	HORIZ. REPEAT (inches)	VERT. REPEAT (inches)	WEB WIDTH (inches)	LEFT MARGIN (inches)
4.00"	TL550	1	4.000	0.540	-	0.692	4.200	0.100
	TL291	1	4.000	0.670	-	0.8125	4.200	0.100
	TL216	1	4.000	0.750	-	0.860	4.250	0.125
	TL320	1	4.000	1.000	-	1.125	4.200	0.100
	TL227	1	4.000	1.125	-	1.250	4.240	0.125
	TL205	1	4.000	1.250	-	1.375	4.250	0.125
	TL438	1	4.000	1.375	-	1.500	4.200	0.100
	TL266	1	4.000	1.500	-	1.625	4.200	0.100
	TL403	1	4.000	1.725	-	1.875	4.200	0.100
	TL63	1	4.000	2.000	-	2.125	4.200	0.100
	10-1007	1	4.000	2.000	-	2.125	4.250	0.125
	TL97	1	4.000	2.500	-	2.625	4.240	0.118
	TL265	1	4.000	3.000	-	3.125	4.200	0.100
	TL407	1	4.000	3.500	-	3.625	4.250	0.125
	TL383	1	4.000	4.000	-	4.125	4.200	0.100
	10-1003	1	4.000	4.000	-	4.125	4.250	0.125
	10-1004	1	4.000	4.000	-	4.125	4.250	0.125
	TL300	1	4.000	5.000	-	5.125	4.200	0.100
	TL229	1	4.000	6.000	-	6.125	4.200	0.100
	TL94	1	4.000	6.500	-	6.625	4.125	0.060
TL302	1	4.000	8.000	-	8.125	4.200	0.100	
TL244	1	4.000	14.000	-	14.125	4.200	0.100	
4.50"	10-1005	1	4.500	4.500	-	4.125	4.750	0.125
4.75"	10-1006	1	4.750	4.000	-	4.875	5.000	0.125
5.00"	TL408	1	5.000	3.000	-	3.125	5.250	0.125
	TL263	1	5.000	8.000	-	8.250	5.200	0.100
6.00"	TL409	1	6.000	6.000	-	6.125	6.250	0.125
	TL597	1	6.000	8.000	-	8.250	6.250	0.125
8.00"	10-1011	1	8.000	12.000	-	12.125	8.250	0.125



Michigan City, IN www.strancoinc.com

THERMAL TRANSFER LABEL DIE LIST

LABEL WIDTH	STRANCO DIE #	LABELS PER ROW	LABEL WIDTH (inches)	LABEL HEIGHT (inches)	HORIZ. REPEAT (inches)	VERT. REPEAT (inches)	WEB WIDTH (inches)	LEFT MARGIN (inches)
Special Shapes & Customs								
Octagon	TL327	1	0.7087	0.4724	-	-	0.9587	0.125
Octagon	TL405	1	0.7087	0.4724	-	-	0.9587	0.125
Octagon	TL387	1	1.020	0.720	-	0.875	1.270	0.125
Octagon	TL388	1	1.030	1.030	-	1.167	1.280	0.125
Circle	TL509	4	0.160	0.1600	0.4000	0.400	2.000	0.320
Circle	.25 Dia	4	0.250	-	0.5000	0.500	2.250	0.250
Circle	TL477	4	0.250	-	0.5000	0.375	2.000	0.125
Circle	TL226	1	0.500	-	-	0.625	0.750	0.125
Circle	TL342	4	0.500	-	0.625	0.750	2.625	0.125
Circle	TL461	4	0.500	-	0.630	0.750	3.000	0.125
Circle	0.75 Dia	5	0.750	-	0.875	0.859	4.500	0.125
Circle	TL471	1	0.750	-	-	0.965	1.000	0.125
Circle	1.00 Dia	4	1.000	-	1.1250	1.125	4.625	0.125
Circle	1.00 Dia	1	1.000	-	-	1.125	1.250	0.1250
Circle	1.50 Dia	3	1.500	-	1.6250	1.625	5.000	0.125
Circle	TL242	3	2.000	-	2.125	2.125	2.125	0.0625
Circle	2.00 Dia	1	2.000	-	-	2.500	2.250	0.1250
Circle	2.50 Dia	2	2.500	-	2.625	2.625	5.375	0.1250
Circle	TL404	1	2.750	-	-	2.875	3.000	0.125
Circle	3.00 Dia	2	3.000	-	3.125	3.125	6.375	0.1250
Circle	4.00 Dia	1	4.000	-	4.125	4.125	4.250	0.1250
Circle	TL483	1	4.177	-	-	4.688	4.427	0.1250
Oval	TL552	1	1.750	0.7500	-	0.900	2.000	0.125
Oval	TL574	1	1.750	0.6900	-	0.900	2.000	0.125
Triangle	1.25" Tri	1	1.250	-	-	1.125	1.500	0.1250
Triangle	2.25" Tri	1	2.250	-	-	2.250	2.500	0.1250